

**131L9862****FC-101PK75T4E20H4XXCXXSXXXXAXBXCXXXXDX**

Frekans Knavtörü

FC-101PK75T4E20H4XXCXXSXXXXAXBXCXXXXDX

VLT® HVAC Drive FC- 101

0,75 kW / 1,0 HP, Trifaze

380 - 480 VAC, IP 20 / Şasi

RFI sınıfı A1 (C2)

Fren kesici yok

Lokal Kontrol Panel Yok

Kaplama PCB, Şebeke Seçeneği yok

A Seçeneği Yok, B Seçeneği Yok

C1 opsiyonu yok, D seçeneği yok

Kasa Boyutu: H1

Model Koduna göre diğer seçenekler

Model kodu: FC-101PK75T4E20H4XXCXXSXXXXAXBXCXXXXDX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer

Verimlilik Verilerini Görüntüleme**PRODUCT DETAILS**

Brüt ağırlık	2.75 kg	
Net ağırlık	2.3 kg	
Hacim	16.53 l	
EAN	5702427807525	
VLT® HVAC DRIVE FC 101 SERIES		
Ürün Görünümü (Anahtar)	GLBL	Global (Standart)
Ürün Grubu	FC-	VLT® HVAC Drive FC-
Seri	101	101
Güç Değeri	PK75	0,75 kW / 1,0 HP
Faz	T	Trifaze
Şebeke Voltajı	4	380 - 480 VAC
Muhafaza	E20	IP 20 / Şasi
RFI Filtresi	H4	RFI sınıfı A1 (C2)
Fren - Güvenli Duruş	X	Fren kesici yok
LCP	X	Lokal Kontrol Panel Yok
Kaplamalı PCB	C	Kaplamalı PCB
Şebeke Opsiyonu	X	Şebeke Seçeneği yok
Uyarlama A	X	Standart Kablo Girişleri
Uyarlama B	X	Uyarlama yok
Yazılım Sürümü	SXXX	Son sürüm std. yazılım
Yazılım Dil Paketi	X	Standart Dil Paketi
A Opsiyonu	AX	A Seçeneği Yok
B Opsiyonu	BX	B Seçeneği Yok
C0 Opsiyonu MCO	CX	C0 seçeneği yok
C1 Opsiyonu	X	C1 opsiyonu yok
C Opsiyon Yazılımı	XX	Yazılım seçeneği yok
D Opsiyonu	DX	D seçeneği yok
Kasa Boyutu	H1	H1

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | FC-101PK75T4E20H4XXCXXXSXXXAXBXCXXXDX

PRODUCT DETAILS

Ürün Kataloğu	NO_VIEW	GÖRÜNTÜ YOK
Tür Kodu Parça 1		FC-101PK75T4E20H4XXC
Tür Kodu Parça 2		XXXSXXXAXBXCXXXDX
Hes. Net Ağ. [kg]		2.4
Hesaplanan Brüt Ağırlık [kg]		2.7
ECCN EU		Y901
ECCN US		3A999.a
Satıcı	ERR01	Satıcı Belirlenemiyor
Fabrika Tarafından Önerilen	ERR01	Satıcı Belirlenemiyor
Modelkodu01		FC-101PK75T4E20H4XXC
Modelkodu02		XXXSXXXAXBXCXXXDX
Recommended Plant		ERR01

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Aksesuarlar

**132B0222** [🔗](#)

IP20 to Type 1 Conversion Kit, H1

**132B0244** [🔗](#)

VLT® External RFI Filter /7A, 3.8W

**132B0212** [🔗](#)

IP21/Tip1 dönüştürme kiti, H1

Extension kit for size H1 0.37 kW - 1.5 kW

Image
coming
soon**132B0203** [🔗](#)

VLT®FC101_LCP31-RJ45 Converter plugs

VLT®FC101_LCP31-RJ45 Converter plugs

**132B0202** [🔗](#)

Dekuplaj Plakası montaj kiti, H1/H2

**132B0201** [🔗](#)

LCP 31 Montaj Kiti, 3 m kablo

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Aksesuarlar

**132B0200** [🔗](#)**LCP FOR FC101**

VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi; zaman, enerji ve para tasar rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.

**132B0132** [🔗](#)**LCP 31 kablosu, 3 m**

Image
coming
soon

132B0206 [🔗](#)**VLT®LCP31 Panel Montaj Kiti, kablolu****132B9222** [🔗](#)**Mains Free Interface FC101 LCP**

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

Yedek parçalar

**132B0253** [🔗](#)**Screws and plugs for frame size H1-H5****132B0248** [🔗](#)**Terminal cover for frame size H1****132B0058** [🔗](#)**Control Card for FC-101**

Can be used on Control cards with min. Firmware 2.70 released August 25 2014 (WK35/14). After replacement of control card or power card the Software must be updated to ver. 4.01 or higher.

**132B0200** [🔗](#)**LCP FOR FC101**

VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi; zaman, enerji ve para tasar rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Yedek parçalar

**132B9222****Mains Free Interface FC101 LCP**

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

Services

**131L9863****FC-101P1K5T4E20H4XXCXXSXXXXAXBXCXXXXX**

Frekans Kvertörü

FC-101P1K5T4E20H4XXCXXSXXXXAXBXCXXXXX

VLT® HVAC Drive FC- 101

1,5 kW / 2,0 HP, Trifaze

380 - 480 VAC, IP 20 / Şasi

RFI sınıfı A1 (C2)

Fren kesici yok

Lokal Kontrol Panel Yok

Kaplamalı PCB, Şebeke Seçeneği yok

A Seçeneği Yok, B Seçeneği Yok

C1 opsiyonu yok, D seçeneği yok

Kasa Boyutu: H1

Model Koduna göre diğer seçenekler

Model kodu: FC-101P1K5T4E20H4XXCXXSXXXXAXBXCXXXXX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer

**130R1102****DrivePro ExWarr Work Shop PG01 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options

**130R1104****DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1103** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1105** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1107** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1106** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1108** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1101** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1004** **DrivePro Extended Warranty sahada 48 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1006** **DrivePro Extended Warranty sahada 60 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1002** **DrivePro Extended Warranty sahada 36 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1001** **DrivePro ExWarr Sahada PG01 30 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1000** **DrivePro ExWarr Onsite PG01 24 Months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1008** **DrivePro® Extended Warranty sahada 72 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1005** **DrivePro® Extended Warranty sahada 54 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1003** **DrivePro® Extended Warranty sahada 42 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1007** **DrivePro® Extended Warranty sahada 66 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1100** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.