

**131L9881****FC-101P37KT4E20H2XXXXXXSXXXXAXBXXXXDX**

Frekans Knavtörü

FC-101P37KT4E20H2XXXXXXSXXXXAXBXXXXDX

VLT® HVAC Drive FC- 101

37 kW / 50 HP, Trifaze

380 - 480 VAC, IP 20 / Şasi

RFI Sınıfı A2 (C3)

Fren kesici yok

Lokal Kontrol Panel Yok

Kaplama PCB yok, Şebeke Seçeneđi yok

A Seçeneđi Yok, B Seçeneđi Yok

C1 opsiyonu yok, D seçeneđi yok

Kasa Boyutu: H6

Model Koduna göre diđer seçenekler

**Model kodu:** FC-101P37KT4E20H2XXXXXXSXXXXAXBXXXXDX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer

**Verimlilik Verilerini Görüntüleme****PRODUCT DETAILS**

<b>Brüt ağırlık</b>		21.947 kg
<b>Net ağırlık</b>		21.647 kg
<b>Hacim</b>		144.67 l
<b>EAN</b>		5702427807716
<b>VLT® HVAC DRIVE FC 101 SERIES</b>		
<b>Ürün Görünümü (Anahtar)</b>	GLBL	Global (Standart)
<b>Ürün Grubu</b>	FC-	VLT® HVAC Drive FC-
<b>Seri</b>	101	101
<b>Güç Deđeri</b>	P37K	37 kW / 50 HP
<b>Faz</b>	T	Trifaze
<b>Şebeke Voltajı</b>	4	380 - 480 VAC
<b>Muhafaza</b>	E20	IP 20 / Şasi
<b>RFI Filtresi</b>	H2	RFI Sınıfı A2 (C3)
<b>Fren - Güvenli Duruş</b>	X	Fren kesici yok
<b>LCP</b>	X	Lokal Kontrol Panel Yok
<b>Kaplama PCB</b>	X	Kaplama PCB yok
<b>Şebeke Opsiyonu</b>	X	Şebeke Seçeneđi yok
<b>Uyarlama A</b>	X	Standart Kablo Girişleri
<b>Uyarlama B</b>	X	Uyarlama yok
<b>Yazılım Sürümü</b>	SXXX	Son sürüm std. yazılım
<b>Yazılım Dil Paketi</b>	X	Standart Dil Paketi
<b>A Opsiyonu</b>	AX	A Seçeneđi Yok
<b>B Opsiyonu</b>	BX	B Seçeneđi Yok
<b>C0 Opsiyonu MCO</b>	CX	C0 seçeneđi yok
<b>C1 Opsiyonu</b>	X	C1 opsiyonu yok
<b>C Opsiyon Yazılımı</b>	XX	Yazılım seçeneđi yok
<b>D Opsiyonu</b>	DX	D seçeneđi yok
<b>Kasa Boyutu</b>	H6	H6

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Product Detail | FC-101P37KT4E20H2XXXXXXSXXXXAXBXCXXXXDX

## PRODUCT DETAILS

Ürün Kataloğu	NO_VIEW	GÖRÜNTÜ YOK
Tür Kodu Parça 1		FC-101P37KT4E20H2XXX
Tür Kodu Parça 2		XXXXXXXXAXBXCXXXXDX
Hes. Net Ağ. [kg]		24
Hesaplanan Brüt Ağırlık [kg]		24.3
ECCN EU		Y901
ECCN US		3A999.a
Sipariş Hattından Tesis		B901
Satıcı	ERR01	Satıcı Belirlenmiyor
Fabrika Tarafından Önerilen	ERR01	Satıcı Belirlenmiyor
Modelkodu01		FC-101P37KT4E20H2XXX
Modelkodu02		XXXXXXXXAXBXCXXXXDX

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

## Aksesuarlar

**132B0242** [🔗](#)

VLT® Decoupling plate for frame H6 big

**132B0217** [🔗](#)

VLT® Nema 1 kiti / IP21 seçeneği kasa H6

VLT® Nema 1 kit / IP21 option frame H6

**132B0207** [🔗](#)

Dekuplaj Plakası montaj kiti, H6

Image  
coming  
soon**132B0203** [🔗](#)

VLT®FC101\_LCP31-RJ45 Converter plugs

VLT®FC101\_LCP31-RJ45 Converter plugs

**132B0201** [🔗](#)

LCP 31 Montaj Kiti, 3 m kablo

**132B0200** [🔗](#)

LCP FOR FC101

VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi;

zaman, enerji ve para tasar

rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Aksesuarlar

**132B0132** [🔗](#)

LCP 31 kablosu, 3 m

Image  
coming  
soon**132B0206** [🔗](#)

VLT®LCP31 Panel Montaj Kiti, kablosuz

**132B9222** [🔗](#)**Mains Free Interface FC101 LCP**

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

## Yedek parçalar

**130B4497** [🔗](#)

rfi-filter assy h6 big

**130B4431** [🔗](#)

H6 muhafaza için terminal kapağı

**130B4428** [🔗](#)

H6 muhafaza için ön kapak

**130B9005** [🔗](#)

Plastic busbar for frame B4, H6

**130B5370** [🔗](#)

DC Bağlantı Kartı 45 kW 400 V

**130B5342** [🔗](#)

Güç Kartı 37 kW 400 V

Power Card 37kW, 400V

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Yedek parçalar



**130B1026** [🔗](#)  
fc-101 hvac basic drive acc.bag, h6 - h8



**130B1436** [🔗](#)  
DC bobin 37 kW T4/6 ve 18 kW T2 kasa B4



**130B1431** [🔗](#)  
Frame for LCP for framsize I and H



**132B0027** [🔗](#)  
**Control Card for FC-101 H6, H7 & H8 Frame**  
Can be used on Control cards with min. Firmware 2.70 released August 25 2014 ( WK35/14). After replacement of control card or power card the Software must be updated to ver. 4.01 or higher.

Image  
coming  
soon

**134B1621** [🔗](#)  
Assembled motor terminals for frame B4



**134B1620** [🔗](#)  
b4 44 pole cable jumper



**132B0200** [🔗](#)  
**LCP FOR FC101**  
VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi; zaman, enerji ve para tasarımı rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.



**134B7138** [🔗](#)  
**Plastic busbar and power card fixture**  
Plastic busbar and power card fixture



**134B7150** [🔗](#)  
**Fan assembly 127x127x38 mm coated B4/H6**  
Old material number 130B3701



**134B7192** [🔗](#)  
Mains terminals for units without RFI

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Yedek parçalar



### 132B9222 [🔗](#)

#### Mains Free Interface FC101 LCP

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

## Services



### 131L9888 [🔗](#)

#### FC-101P37KT4P20H3XXCXXXXXXSXXXXAXBXCXXXXDX

Frekans Kvertörü  
FC-101P37KT4P20H3XXCXXXXXXSXXXXAXBXCXXXXDX  
VLT® HVAC Drive FC- 101  
37 kW / 50 HP, Trifaze  
380 - 480 VAC, IP20 / Şasi P.İ  
RFI Sınıf A1/B (C1)  
Fren kesici yok  
Lokal Kontrol Panel Yok  
Kaplama PCB, Şebeke Seçeneği yok  
A Seçeneği Yok, B Seçeneği Yok  
C1 opsiyonu yok, D seçeneği yok  
Kasa Boyutu: H6  
Model Koduna göre diğer seçenekler

**Model kodu:** FC-101P37KT4P20H3XXCXXXXXXSXXXXAXBXCXXXXDX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer



### 130R1131 [🔗](#)

#### DrivePro Extended Warranty Servis Bayisi

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1134 [🔗](#)

#### DrivePro Extended Warranty Servis Bayisi

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R1135** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1137** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1138** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1136** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1130** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1132** [🔗](#)

**DrivePro ExWarr Work Shop PG04 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1133** [🔗](#)**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1034** [🔗](#)**DrivePro Extended Warranty sahada 48 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1031** [🔗](#)**DrivePro Extended Warranty sahada 30 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1032** [🔗](#)**DrivePro Extended Warranty sahada 36 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1035** [🔗](#)**DrivePro Extended Warranty sahada 54 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1033** [🔗](#)**DrivePro Extended Warranty sahada 42 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R1030** [🔗](#)

**DrivePro® Extended Warranty sahada 24 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1038** [🔗](#)

**DrivePro® Extended Warranty sahada 72 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1036** [🔗](#)

**DrivePro® Extended Warranty sahada 60 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1040** [🔗](#)

**DrivePro® Extended Warranty sahada 24 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1037** [🔗](#)

**DrivePro® Extended Warranty sahada 66 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.