



 PRODUCT-DETAILS

ACH580-01-062A-4

LV AC wall-mounted drive for HVAC, IEC: Pn 30 kW, 62 A, 400 V, UL: Pld 40 Hp, 52 A (ACH580-01-062A-4)



General Information

Global Commercial Alias	ACH580-01-062A-4
Product ID	3AUA0000080523
ABB Type Designation	ACH580-01-062A-4
EAN	6438177305798
Catalog Description	LV AC wall-mounted drive for HVAC, IEC: Pn 30 kW, 62 A, 400 V, UL: Pld 40 Hp, 52 A (ACH580-01-062A-4)

Long Description	<p>ACH580 HVAC drive offering has all key features built-in to control fans, pumps and compressors, and more complex equipment like air-handling units and chillers, ensuring smooth, energy-efficient operation of your HVAC systems in normal and mission-critical situations. The built-in features significantly reduce installation time and the intuitive control panel with an HVAC-specific primary settings menu and help assistants makes startup, commissioning and operation easy. The optional Bluetooth® capability enables the commissioning and monitoring of the drive from a distance. The ACH580-01 comes in IP21 enclosure and can be installed on the wall as standard. Also, IP55 and flange mounting units are available.</p>
------------------	--

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044086
HS Code	850440-- Electrical transformers, static converters (for example, rectifiers) and inductors.- Static converters

Invoice Description	ACH580-01-062A-4 PN: 30 kW, IN: 62 A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Weight	19.00 kg 44 lb
Product Net Depth / Length	257 mm 10.12 in
Product Net Height	636 mm 25.04 in
Product Net Width	203 mm 7.99 in
Package Level 1 Depth / Length	760.00 mm 31 in
Package Level 1 Height	428.00 mm 14 in
Package Level 1 Width	298.00 mm 11 in
Package Level 1 Units	1 carton

Technical

Number of Phases	3
Degree of Protection	IP21
Enclosure Type NEMA	Type1 95
Sound dB (A)	69 dB(A)
Multiple Battery Information	Lithium Coin, CR2032, 220 mAh, 3 V, 1 pc, 3 g
Frequency (f)	47.5 ... 63 Hz
Frame Size	R4
Input Voltage (U _{in})	380 ... 480 V
Mounting Type	Wall-mounted
Communication Protocol	BACNET CAN DeviceNet EtherNet/IP LON MODBUS Other Bus Systems PROFIBUS PROFINET IO TCP/IP
Number of Hardware Interfaces	Industrial Ethernet 0 Other 2 Parallel 2 PROFINET 0 RS-232 0 RS-422 0 RS-485 1 Serial TTY 0 USB 1
Includes	Control unit PC connection
Analog Inputs	2
Analog Outputs	2
Number of Digital In/Outputs	6 / 3
Output Current, Normal	62 A

Use (I_n)

Output Current, Light-Overload Use (I_{LD})	58 A
---	------

Output Current, Heavy-Duty Use (I_{HD})	45 A
---	------

Output Power, Normal Use (P_n)	30 kW
------------------------------------	-------

Output Power, Light-Overload Use (P_{LD})	30 kW
---	-------

Output Power, Heavy-Duty Use (P_{HD})	22.0 kW
---	---------

Apparent Power Output	43 kV·A
-----------------------	---------

Efficiency Level	IE2
------------------	-----

Standby Loss	19 W
--------------	------

Complete Drive Module
Efficiency (61800-9-2)

Operating Point Frequency / Current	Absolute Loss	Efficiency	Relative Loss
0/25 %	247 W	90.2 %	0.6 %
0/50 %	322 W	93.2 %	0.7 %
0/100 %	574 W	93.8 %	1.3 %
50/25 %	270 W	94.6 %	0.6 %
50/50 %	370 W	96.1 %	0.9 %
50/100 %	683 W	96.4 %	1.6 %
90/50 %	430 W	97.5 %	1.0 %
90/100 %	873 W	97.4 %	2.0 %

Temperature Rating	Minimum -15 °C
--------------------	----------------

Technical UL

Output Current, Heavy-Duty Use (UL)	40 A
-------------------------------------	------

Output Current, Light-Overload Use (UL)	52 A
---	------

Output Power, Light-Overload Use (UL)	40 Hp
---------------------------------------	-------

External Classifications and Standards

ETIM 8	EC001857 - Frequency converter =< 1 kV
--------	--

ETIM 9	EC001857 - Frequency converter =< 1 kV
--------	--

UNSPSC	39122001
--------	----------

Environmental

SCIP	596c7575-1ed1-48e9-be9a-d8fdd900606b Finland (FI)
------	---

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
---------------	---

Additional Information

Product Name	Frequency converter
--------------	---------------------

Categories

Drives → Low Voltage AC Drives → Industry-Specific Drives → Drives for HVAC → ACH580-01 - Wall-mounted drive for HVAC

