

**134U7769****FC-280PK55T4E20H2BXCXXSXXXXAL**

Frekans Kınvertörü

FC-280PK55T4E20H2BXCXXSXXXXAL

VLT® Midi Drive FC-280

0,55 kW / 0,75 HP, Trifaz 380-480 VAC

IP20 / Şasi, EMC Kat C3 (200/400V)

Fren kesici, Ekran yok

Kaplama PCB, Şebeke Seçeneği yok

Entegre PROFINET

Kasa Boyutu: K1

Model Koduna göre diğer seçenekler

Model kodu: FC-280PK55T4E20H2BXCXXSXXXXAL

Yiyecek ve içecek, malzeme işleme ve proses endüstrilerinde makine üreticileri için hassas ve verimli motor kontrolü için VLT® Midi Drive idealdir. Sürücü, kontrol performansı, işlevsel güvenlik ve esnek haberleşme protokolleri konularında güçlü özelliklere sahiptir. VLT® Midi Drive, VLT® 2800 ile uyumlu olacak şekilde tasarlanmıştır. Dış boyutları, konektörleri, kablo uzunlukları ve kurulum yazılımı araçları kurulu bir sürücü panelini kolayca güçlendirmenizi sağlar.

Not: FC 280 bir LCP ekranı veya Memory Module içermez. VLT 2800 için LCP, Memory Module ve montaj adaptörü plakalarını aksesuar olarak ayrıca sipariş edin.

Verimlilik Verilerini Görüntüleme**PRODUCT DETAILS**

Brüt ağırlık		3.06 kg
Net ağırlık		2.63 kg
Hacim		16.53 l
EAN		5710108038212
VLT® Midi Drive FC 280		
Ürün Görünümü (Anahtar)	GLBL	Global (Standart)
Ürün Grubu	FC-	VLT® Midi Drive FC-
Seri	280	280
Güç Boyutu	PK55	0,55 kW / 0,75 HP
Voltaj	T4	Trifaz 380-480 VAC
Muhafaza	E20	IP20 / Şasi
RFI Filtresi	H2	EMC Kat C3 (200/400V)
Fren ve Durdurma	B	Fren kesici
Ekran	X	Ekran yok
Kaplama	C	Kaplamalı PCB
Şebeke Opsiyonu	X	Şebeke Seçeneği yok
Uyarılma A	X	Uyarılma yok
Uyarılma B	X	Uyarılma yok
Özel Versiyon	SXXX	En son sürüm
Yazılım Dil Paketi	X	Standart Dil Paketi
Kontrol Kartı	AL	Entegre PROFINET
Kasa Boyutu	K1	K1

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | FC-280PK55T4E20H2BXCXXSXXXXAL

PRODUCT DETAILS

Tür Kodu Parça 1		FC-280PK55T4E20H2BXC
Tür Kodu Parça 2		XXSXXXXAL
Ürün Kataloğu	NO_VIEW	GÖRÜNTÜ YOK
Hesaplanan Brüt Ağırlık [kg]		2.8
Hes. Net Ağ. [kg]		2.5
Kesikli Akım (HO) [A]		2.7
Kesikli Akım (HO) [A]		2.7
Sürekli Akım (HO) [A]		1.7
Sürekli Akım (HO) [A]		1.6
Güç Kaybı HO [W]		25.2
kVA		1.2
Güç %160 (HO) [KW]		0.55
Yükseklik [mm]		210
C opsiyonu olm. genişlik [mm]		75
Derinlik [mm]		168
Satıcı	ERR01	Satıcı Belirlenemiyor
Fabrika Tarafından Önerilen	ERR01	Satıcı Belirlenemiyor
Modelkodu01		FC-280PK55T4E20H2BXC
Modelkodu02		XXSXXXXAL
ECCN EU		Y901
ECCN US		3A999.a
Recommended Plant		ERR01

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Aksesuarlar

**132B0262** [🔗](#)**LCP Kör kapak, IP20/21**

Use the blind cover to mount on a VLT® Midi Drive FC 280 when you does not need a control panel.

**132B0254** [🔗](#)**VLT® Control Panel LCP 21, nümerik**

VLT® Control Panel LCP 21 Numerical

**132B0102** [🔗](#)**LCP Uzaktan Montaj Kiti, 3 m kablo ile**

Remote installation kit for VLT Micro Drive FC 51 for installing an LCP 11 or LCP

12 control unit in a control cabinet door or similar. (can also be retrofitted).

Contains fastening elements, seal and 3 m connection cable with plugs.

LCP is not included in the scope of delivery.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Aksesuarlar

**132B0368** [🔗](#)**VLT® 24 V DC Supply MCB 106**

VLT® 24 V DC Supply MCB 106 for FC-280

**132B0364** [🔗](#)**Adapter Plate, VLT2800 size B**

Adapter plate, VLT2800 size B VLT 2822 200-240 volts

VLT 2822-2840 380-480 volts

**132B0363** [🔗](#)**Adapter Plate, VLT2800 size A**

Adapter Plate, VLT2800 size A

VLT 2803-2815 200-240 Volt

VLT 2805-2815 380-480 Volt

**132B0281** [🔗](#)**Adaptör, Grafik LCP**

Graphic LCP adapter for LCP102

**132B0335** [🔗](#)**IP21 / Type 1 conversion kit, K1**

IP21 / Type 1 conversion kit, K1

**134B0792** [🔗](#)**VLT® Memory Module Programmer MCM 101**

Yedek parçalar

**132B0369** [🔗](#)**Bus cable decoupling kit, FC-280****132B0354** [🔗](#)**K1 muhafaza için terminal kapağı****132B0351** [🔗](#)**Fan 50x20 IP21 PWM0904810330****For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Yedek parçalar

**132B0350****Accessory bag FC-280 plugs**

Accessory bag FC-280 plugs

**132B0348****VLT® Cassette control - ProfiNet**

VLT® Cassette control - ProfiNet

Services

**134U7771****FC-280P1K1T4E20H2BXCXXSXXXXAL**

FC-280P1K1T4E20H2BXCXXSXXXXAL

Frekans Kınvertörü

FC-280P1K1T4E20H2BXCXXSXXXXAL

VLT® Midi Drive FC-280

1,1 kW / 1,5 HP, Trifaz 380-480 VAC

IP20 / Şasi, EMC Kat C3 (200/400V)

Fren kesici, Ekran yok

Kaplmalı PCB, Şebeke Seçeneği yok

Entegre PROFINET

Kasa Boyutu: K1

Model Koduna göre diğer seçenekler

Model kodu: FC-280P1K1T4E20H2BXCXXSXXXXAL

Yiyecek ve içecek, malzeme işleme ve proses endüstrilerinde makine üreticileri için hassas ve verimli motor kontrolü için VLT® Midi Drive idealdir. Sürücü, kontrol performansı, işlevsel güvenlik ve esnek haberleşme protokolleri konularında güçlü özelliklere sahiptir. VLT® Midi Drive, VLT® 2800 ile uyumlu olacak şekilde tasarlanmıştır. Dış boyutları, konektörleri, kablo uzunlukları ve kurulum yazılımı araçları kurulu bir sürücü panelini kolayca güçlendirmenizi sağlar.

Not: FC 280 bir LCP ekranı veya Memory Module içermez. VLT 2800 için LCP, Memory Module ve montaj adaptörü plakalarını aksesuar olarak ayrıca sipariş edin.

**130R1102****DrivePro ExWarr Work Shop PG01 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss

Drivesworkshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new

drive. For drives previously shipped or purchased; contact your local

Danfoss Drives sales officefor extended warranty contract options

For more information, please use this link to visit the product page on Danfoss Product Store

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1104** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1103** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1105** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1107** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1106** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1108** **DrivePro® Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1101** **DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options

**130R1004** **DrivePro Extended Warranty sahada 48 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1006** **DrivePro Extended Warranty sahada 60 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1002** **DrivePro Extended Warranty sahada 36 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1001** **DrivePro ExWarr Sahada PG01 30 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1000** **DrivePro ExWarr Onsite PG01 24 Months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1008** **DrivePro Extended Warranty sahada 72 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1005** **DrivePro Extended Warranty sahada 54 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1003** **DrivePro Extended Warranty sahada 42 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1007** **DrivePro Extended Warranty sahada 66 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services

**130R1100** **DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.