



**131L9869**

**FC-101P11KT4E20H4XXCXXSXXXAXBXCXXXXDX**

FC-101P11KT4E20H4XXCXXSXXXAXBXCXXXXDX

Frekans Kvertörü

FC-101P11KT4E20H4XXCXXSXXXAXBXCXXXXDX

VLT® HVAC Drive FC- 101

11 kW / 15 HP, Trifaze

380 - 480 VAC, IP 20 / Şasi

RFI sınıfı A1 (C2)

Fren kesici yok

Lokal Kontrol Panel Yok

Kaplamalı PCB, Şebeke Seçeneği yok

A Seçeneği Yok, B Seçeneği Yok

C1 opsiyonu yok, D seçeneği yok

Kasa Boyutu: H4

Model Koduna göre diğer seçenekler

**Model kodu:** FC-101P11KT4E20H4XXCXXSXXXAXBXCXXXXDX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer

**Verimlilik Verilerini Görüntüleme**

## PRODUCT DETAILS

<b>Brüt ağırlık</b>		8.37 kg
<b>Net ağırlık</b>		7.9 kg
<b>Hacim</b>		23.94 l
<b>EAN</b>		5710107088324
<b>VLT® HVAC DRIVE FC 101 SERIES</b>		
<b>Ürün Görünümü (Anahtar)</b>	GLBL	Global (Standart)
<b>Ürün Grubu</b>	FC-	VLT® HVAC Drive FC-
<b>Seri</b>	101	101
<b>Güç Değeri</b>	P11K	11 kW / 15 HP
<b>Faz</b>	T	Trifaze
<b>Şebeke Voltajı</b>	4	380 - 480 VAC
<b>Muhafaza</b>	E20	IP 20 / Şasi
<b>RFI Filtresi</b>	H4	RFI sınıfı A1 (C2)
<b>Fren - Güvenli Duruş</b>	X	Fren kesici yok
<b>LCP</b>	X	Lokal Kontrol Panel Yok
<b>Kaplamalı PCB</b>	C	Kaplamalı PCB
<b>Şebeke Opsiyonu</b>	X	Şebeke Seçeneği yok
<b>Uyarlama A</b>	X	Standart Kablo Girişleri
<b>Uyarlama B</b>	X	Uyarlama yok
<b>Yazılım Sürümü</b>	SXXX	Son sürüm std. yazılım
<b>Yazılım Dil Paketi</b>	X	Standart Dil Paketi
<b>A Opsiyonu</b>	AX	A Seçeneği Yok
<b>B Opsiyonu</b>	BX	B Seçeneği Yok
<b>C0 Opsiyonu MCO</b>	CX	C0 seçeneği yok
<b>C1 Opsiyonu</b>	X	C1 opsiyonu yok
<b>C Opsiyon Yazılımı</b>	XX	Yazılım seçeneği yok

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Product Detail | FC-101P11KT4E20H4XXCXXXSXXXAXBXCXXXDX

## PRODUCT DETAILS

D Opsiyonu	DX	D seçeneği yok
Kasa Boyutu	H4	H4
Ürün Kataloğu	NO_VIEW	GÖRÜNTÜ YOK
Tür Kodu Parça 1		FC-101P11KT4E20H4XXC
Tür Kodu Parça 2		XXXSXXXAXBXCXXXDX
Hes. Net Ağ. [kg]		8.2
Hesaplanan Brüt Ağırlık [kg]		8.5
ECCN EU		Y901
ECCN US		3A999.a
Satıcı	ERR01	Satıcı Belirlenmiyor
Fabrika Tarafından Önerilen	ERR01	Satıcı Belirlenmiyor
Modelkodu01		FC-101P11KT4E20H4XXC
Modelkodu02		XXXSXXXAXBXCXXXDX
Recommended Plant		ERR01

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

## Aksesuarlar

**132B0225** [↗](#)

IP20 to Type 1 Conversion Kit, H4

**132B0246** [↗](#)

Harici RFI Filtresi, 30 A, 11-15 kW, T4

**132B0215** [↗](#)

IP21/Tip1 dönüştürme kiti, H4

Extension kit for size H4 11.0 kW - 15.0 kW

**132B0205** [↗](#)

Dekuplaj Plakası montaj kiti, H4/H5

Image  
coming  
soon**132B0203** [↗](#)

VLT®FC101\_LCP31-RJ45 Converter plugs

VLT®FC101\_LCP31-RJ45 Converter plugs

**132B0201** [↗](#)

LCP 31 Montaj Kiti, 3 m kablo

For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Aksesuarlar

**132B0200****LCP FOR FC101**

VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi; zaman, enerji ve para tasar rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.

**132B0132****LCP 31 kablo, 3 m**

Image  
coming  
soon

**132B0206****VLT®LCP31 Panel Montaj Kiti, kablolu****132B9222****Mains Free Interface FC101 LCP**

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

## Yedek parçalar

**132B0253****Screws and plugs for frame size H1-H5****132B0058****Control Card for FC-101**

Can be used on Control cards with min. Firmware 2.70 released August 25 2014 ( WK35/14). After replacement of control card or power card the Software must be updated to ver. 4.01 or higher.

**132B0200****LCP FOR FC101**

VLT® HVAC Basic Drive için kullanımı kolay lokal kontrol paneli. İyi yapılandırılmış menü sistemi; zaman, enerji ve para tasar rufu sağlayacak şekilde, hızlı devreye alma ve güçlü işlevlerine kolay erişim sağlar.

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Yedek parçalar

**132B9222****Mains Free Interface FC101 LCP**

USB 2.0 based mains free PC programming interface for FC101 family products. It supports drive parameter setting and firmware flashing without mains power. PC tool MCT10 is needed.

## Services

**131L9870****FC-101P15KT4E20H4XXCXXXSXXXAXBXCXXXDX**

Frekans Kvertörü  
FC-101P15KT4E20H4XXCXXXSXXXAXBXCXXXDX  
VLT® HVAC Drive FC- 101  
15 kW / 20 HP, Trifaze  
380 - 480 VAC, IP 20 / Şasi  
RFI sınıfı A1 (C2)  
Fren kesici yok  
Lokal Kontrol Panel Yok  
Kaplama PCB, Şebeke Seçeneği yok  
A Seçeneği Yok, B Seçeneği Yok  
C1 opsiyonu yok, D seçeneği yok  
Kasa Boyutu: H4  
Model Koduna göre diğer seçenekler

**Model kodu:** FC-101P15KT4E20H4XXCXXXSXXXAXBXCXXXDX

VLT® HVAC Basic Drive is the natural choice for the HVAC OEMer

**130R1121****DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1120****DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store**

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R1122** [🔗](#)

**DrivePro ExWarr Work Shop PG03 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1123** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1126** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1125** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1124** [🔗](#)

**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1127** [🔗](#)

**DrivePro ExWarr Work Shop PG03 66 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1128** [🔗](#)**DrivePro Extended Warranty Servis Bayisi**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1024** [🔗](#)**DrivePro Extended Warranty sahada 48 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1025** [🔗](#)**DrivePro Extended Warranty sahada 54 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1020** [🔗](#)**DrivePro Extended Warranty sahada 24 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1022** [🔗](#)**DrivePro Extended Warranty sahada 36 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1021** [🔗](#)**DrivePro ExWarr Onsite PG03 30 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Services



**130R1027** [🔗](#)

**DrivePro Extended Warranty sahada 66 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1026** [🔗](#)

**DrivePro Extended Warranty sahada 60 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1028** [🔗](#)

**DrivePro Extended Warranty sahada 72 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1023** [🔗](#)

**DrivePro Extended Warranty sahada 42 ay**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.